

TEST REPORT

<u>APPLICANT</u>	: Ningbo Yinzhou Wideland Sports.,Ltd
<u>ADDRESS</u>	: 404#, BLOCK A, EAST LAKE GARDEN, 10# EAST SONGJIANG ROAD, NINGBO, CHINA.
<u>SAMPLE DESCRIPTION</u>	: Plastic skateboard
<u>ITEM NO.</u>	: GS-SB-X1
<u>COUNTRY OF ORIGIN</u>	: China
<u>COUNTRY OF DESTINATION</u>	: EU
<u>AGE REQUESTED ON APPLICATION FORM</u>	: 3+
<u>SAMPLE RECEIVED DATE</u>	: 05-Jan-2016
<u>TURN AROUND TIME</u>	: 05-Jan-2016 to 08-Jan-2016, 4 Working Days
<u>TEST REQUESTED</u>	: Selected test(s) as requested by client
<u>TEST METHOD</u>	: Please refer to next page(s)
<u>TEST RESULTS</u>	: Please refer to next page(s)

The following test item(s) was/were performed on selected sample(s) and/or component(s) appointed by applicant.

Eurofins (Shanghai) contact information

Customer service: LucyZheng@eurofins.com / 021-61819261

Sales specialist: SenseLin@eurofins.com / 15959018980

***** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) *****

Signed for and on behalf of
Eurofins Product Testing Service (Shanghai) Co., Ltd



Terric Ji
Lab Manager

Results obtained refer only to samples, products or material received in Laboratory, as described in point related to sample description, and tested in conditions shown in present report. Eurofins Product Testing Service (Shanghai) Co., Ltd ensures that this job has been performed according to our Quality System and complying contract and legal conditions. If you happen to have any comments, please do it by sending email to sh.info@eurofins.com and referring to this report number. Reproduction of this document is only valid if it is done completely and under the written permission of Eurofins Product Testing Service (Shanghai) Co., Ltd.

SAMPLE PHOTO



EFSH16010174-CG-01

TO BE CONTINUED

TEST RESULT

Roller sports equipment – Skateboards – Safety requirements and test methods (EN 13613:2009)

- 1) Classification: A
- 2) Number of Test Specimen: 2 pieces
- 3) Test Result: details shown as following tables

Clause	Test method / Requirements	Result
5	Construction	
5.2	Requirement	
5.2.1	There shall be no projections above the upper surface of the deck. The complete upper surface of the deck shall be equipped with an anti-slide surface.	Pass
5.2.2	When tested in accordance with 6.8, it shall not be possible to touch, with the test cylinder (see 6.8.2), any projection which has a length greater than 10 mm and less than 100 mm ² in area.	Pass
5.2.3	When the action bolt (kingpin) of the truck is fully tightened, no part of the action bolt shall be in contact with the underside of the deck.	Pass
5.2.4	If a part of the axles and means of securing the wheels shall project beyond the outer edge of the wheels than the axle and means of securing the wheels shall not project beyond the deck. All edges on the skateboard which can come into contact with parts of the body during normal use shall be rendered safe, or shaped so that injuries cannot occur.	Pass
5.2.5	The corners and edges of the deck shall be rounded off and free from burr and sharp or protruding edges. The outlines of the deck shall be rounded off with a minimum radius of 10 mm.	Pass
5.2.6	Where self-locking nuts are used, the entire thread, including the locking section, shall be in contact with the bolt. Self-locking nuts and other self-locking fixings that are loosened several times for the purpose of modification or servicing, shall be suitable for this purpose. The information supplied by the manufacturer shall indicate if self-locking nuts and other self-locking elements can lose their effectiveness.	Pass
5.2.7	When tested in accordance with 6.5, the coefficient of adhesion (μ_0) of the wheels shall be a minimum of 0,3.	Pass
5.2.8	When tested in accordance with 6.6, the wheel bearings shall not get stuck or disintegrate.	Pass
5.2.9	When tested in accordance with 6.7, 6.9 and 6.10 no part of the skateboard shall break, there shall be no signs of functional damage and no fastening devices shall have worked loose.	Pass

TO BE CONTINUED

TEST RESULT

Clause	Test method / Requirements	Result
7	Marking	N/C
8	Information supplied by the manufacturer	N/C

Note:

N/C=Not conducted as per client's request

*** END OF THE REPORT ***